

=====

Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866)
217-9197 (toll free).

Reviewer: markspencer

Timestamp: [year=2008; month=9; day=19; hr=17; min=47; sec=56; ms=286;]

=====

Application No: 10593868

Version No: 1.0

Input Set:**Output Set:****Started:** 2008-08-26 16:01:36.204**Finished:** 2008-08-26 16:01:37.953**Elapsed:** 0 hr(s) 0 min(s) 1 sec(s) 749 ms**Total Warnings:** 26**Total Errors:** 0**No. of SeqIDs Defined:** 26**Actual SeqID Count:** 26

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (1)
W 213	Artificial or Unknown found in <213> in SEQ ID (2)
W 213	Artificial or Unknown found in <213> in SEQ ID (3)
W 213	Artificial or Unknown found in <213> in SEQ ID (4)
W 213	Artificial or Unknown found in <213> in SEQ ID (5)
W 213	Artificial or Unknown found in <213> in SEQ ID (6)
W 213	Artificial or Unknown found in <213> in SEQ ID (7)
W 213	Artificial or Unknown found in <213> in SEQ ID (8)
W 213	Artificial or Unknown found in <213> in SEQ ID (9)
W 213	Artificial or Unknown found in <213> in SEQ ID (10)
W 213	Artificial or Unknown found in <213> in SEQ ID (11)
W 213	Artificial or Unknown found in <213> in SEQ ID (12)
W 213	Artificial or Unknown found in <213> in SEQ ID (13)
W 213	Artificial or Unknown found in <213> in SEQ ID (14)
W 213	Artificial or Unknown found in <213> in SEQ ID (15)
W 213	Artificial or Unknown found in <213> in SEQ ID (16)
W 213	Artificial or Unknown found in <213> in SEQ ID (17)
W 213	Artificial or Unknown found in <213> in SEQ ID (18)
W 213	Artificial or Unknown found in <213> in SEQ ID (19)
W 213	Artificial or Unknown found in <213> in SEQ ID (20)

Input Set:

Output Set:

Started: 2008-08-26 16:01:36.204
Finished: 2008-08-26 16:01:37.953
Elapsed: 0 hr(s) 0 min(s) 1 sec(s) 749 ms
Total Warnings: 26
Total Errors: 0
No. of SeqIDs Defined: 26
Actual SeqID Count: 26

Error code

Error Description

This error has occurred more than 20 times, will not be displayed

SEQUENCE LISTING

<110> Nuevolution A/S

<120> Ligational encoding using building block oligonucleotides

<130> P914PC00

<140> 10593868

<141> 2008-08-26

<160> 26

<170> PatentIn version 3.3

<210> 1

<211> 12

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<220>

<221> misc_feature

<222> (5)..(8)

<223> N denotes a random nucleobase, preferably selected from G, A, C, T, or U

<400> 1

gcggnnnnncg cg

12

<210> 2

<211> 12

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<400> 2

gcggattacg cg

12

<210> 3

<211> 12

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<400> 3

gcggaattcg cg

12

<210> 4
 <211> 12
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetic construct

 <220>
 <221> misc_feature
 <222> (5)..(8)
 <223> N denotes a random nucleobase, preferably selected from G, A, C,
 T, or U

 <400> 4
 taatnnnnntt aa 12

 <210> 5
 <211> 12
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetic construct

 <400> 5
 taatgccgtt aa 12

 <210> 6
 <211> 12
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetic construct

 <400> 6
 taatgggctt aa 12

 <210> 7
 <211> 22
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetic construct

 <220>
 <221> misc_feature
 <222> (10)..(13)
 <223> N denotes a random nucleobase, preferably selected from G, A, C,

T, or U

<400> 7

tttttggaan nnnagagttt tt

22

<210> 8

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<400> 8

tttttggaac cttagagttt tt

22

<210> 9

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<400> 9

tttttggaac ttcagagttt tt

22

<210> 10

<211> 12

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<220>

<221> misc_feature

<222> (5)..(8)

<223> N denotes a random nucleobase, preferably selected from G, A, C,
T, or U

<400> 10

ggttnnnnngt tg

12

<210> 11

<211> 12

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<220>
 <221> misc_feature
 <222> (5)..(8)
 <223> N denotes a random nucleobase, preferably selected from G, A, C,
 T, or U

 <400> 11
 accannnncc aa 12

<210> 12
 <211> 12
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic construct

<220>
 <221> misc_feature
 <222> (5)..(8)
 <223> N denotes a random nucleobase, preferably selected from G, A, C,
 T, or U

 <400> 12
 tctcnnnncc tt 12

<210> 13
 <211> 25
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic construct

<220>
 <221> misc_feature
 <222> (5)..(8)
 <223> N denotes a random nucleobase, preferably selected from G, A, C,
 T, or U

<220>
 <221> misc_feature
 <222> (22)..(25)
 <223> N denotes a random nucleobase, preferably selected from G, A, C,
 T, or U

<400> 13
 cgcgnnnncc gcaaaaactc tnnnn 25

<210> 14
 <211> 25

<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<400> 14
cgcgtaatcc gcaaaaaactc taagg 25

<210> 15
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (14)..(17)
<223> N denotes a random nucleobase, preferably selected from G, A, C,
T, or U

<220>
<221> misc_feature
<222> (26)..(29)
<223> N denotes a random nucleobase, preferably selected from G, A, C,
T, or U

<400> 15
ttccaaaaaac aacnnnnaac cttggnnnnt ggt 33

<210> 16
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (14)..(17)
<223> N denotes a random nucleobase, preferably selected from G, A, C,
T, or U

<400> 16
ttccaaaaaac aacnnnnaac c 21

<210> 17
<211> 10
<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<220>

<221> misc_feature

<222> (1)..(1)

<223> n represents inosine (I)

<220>

<221> misc_feature

<222> (3)..(3)

<223> n represents inosine (I)

<220>

<221> misc_feature

<222> (5)..(5)

<223> n represents inosine (I)

<400> 17

ntntntggtg

10

<210> 18

<211> 10

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<220>

<221> misc_feature

<222> (1)..(1)

<223> n represents inosine (I)

<220>

<221> misc_feature

<222> (3)..(3)

<223> n represents inosine (I)

<220>

<221> misc_feature

<222> (5)..(5)

<223> n represents inosine (I)

<400> 18

ntntntgggt

10

<210> 19

<211> 20

<212> DNA

<213> Artificial Sequence

<220>
 <223> Synthetic construct

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> n represents inosine (I)

<220>
 <221> misc_feature
 <222> (3)..(3)
 <223> n represents inosine (I)

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> n represents inosine (I)

<220>
 <221> misc_feature
 <222> (13)..(13)
 <223> n represents inosine (I)

<220>
 <221> misc_feature
 <222> (15)..(15)
 <223> n represents inosine (I)

<220>
 <221> misc_feature
 <222> (18)..(18)
 <223> n represents inosine (I)

<400> 19
 ntntntgggtt ttntnttntg

<210> 20
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic construct

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> n represents inosine (I)

<220>
 <221> misc_feature
 <222> (3)..(3)
 <223> n represents inosine (I)

<220>
<221> misc_feature
<222> (5)..(5)
<223> n represents inosine (I)

<220>
<221> misc_feature
<222> (13)..(13)
<223> n represents inosine (I)

<220>
<221> misc_feature
<222> (15)..(15)
<223> n represents inosine (I)

<220>
<221> misc_feature
<222> (18)..(18)
<223> n represents inosine (I)

<400> 20
ntntntgggg ggntnttntg

20

<210> 21
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(1)
<223> n represents inosine (I)

<220>
<221> misc_feature
<222> (3)..(3)
<223> n represents inosine (I)

<220>
<221> misc_feature
<222> (5)..(5)
<223> n represents inosine (I)

<220>
<221> misc_feature
<222> (13)..(13)
<223> n represents inosine (I)

<220>
<221> misc_feature
<222> (15)..(15)

<223> n represents inosine (I)

<220>

<221> misc_feature

<222> (18)..(18)

<223> n represents inosine (I)

<400> 21

ntntntgggtg tgntnttntg

20

<210> 22

<211> 10

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<220>

<221> misc_feature

<222> (3)..(3)

<223> n represents inosine (I)

<220>

<221> misc_feature

<222> (5)..(5)

<223> n represents inosine (I)

<220>

<221> misc_feature

<222> (8)..(8)

<223> n represents inosine (I)

<400> 22

gtntnttntg

10

<210> 23

<211> 10

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic construct

<220>

<221> misc_feature

<222> (3)..(3)

<223> n represents inosine (I)

<220>

<221> misc_feature

<222> (5)..(5)

<223> n represents inosine (I)

<220>
<221> misc_feature
<222> (8)..(8)
<223> n represents inosine (I)

<400> 23
ttntnttntg

10

<210> 24
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(1)
<223> N denotes a random nucleobase

<220>
<221> misc_feature
<222> (2)..(2)
<223> N denotes a random nucleobase

<220>
<221> misc_feature
<222> (19)..(19)
<223> N denotes a random nucleobase

<220>
<221> misc_feature
<222> (20)..(20)
<223> N denotes a random nucleobase

<400> 24
nnccacacac cacaacacnn

20

<210> 25
<211> 10
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(1)
<223> N denotes a random nucleobase

<220>
<221> misc_feature
<222> (2)..(2)
<223> N denotes a random nucleobase

<400> 25
nnccacacac

10

<210> 26
<211> 10
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(2)
<223> N denotes a random nucleobase

<220>
<221> misc_feature
<222> (3)..(3)
<223> N denotes inosine (I)

<220>
<221> misc_feature
<222> (5)..(5)
<223> N denotes inosine (I)

<220>
<221> misc_feature
<222> (8)..(8)
<223> N denotes inosine (I)

<400> 26
nnntnttntg

10